Review //11/16

Wetlands Bureau Decision Report

Decisions Taken 01/04/2016 to 01/10/2016

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

01/04/2016 to 01/10/2016

MAJOR IMPACT PROJECT

2015-02273

SILLMAN, ROBERT

WINCHESTER Unnamed Stream

Requested Action:

Withdraw application to dredge and fill 1,052 sq. ft.(91 lin. ft.)restore the trail (Winchester Trail Riders) and to straighten the

2

WITHDRAW APPLICATION:

Withdraw application to dredge and fill 1,052 sq. ft.(91 lin. ft.)restore the trail (Winchester Trail Riders) and to straighten the stream.

With Findings:

- 1. On December 29, 2015, the department received a letter from the applicant's agent requesting withdrawal of the pending application to dredge and fill 1,052 square feet (91 lin. ft.) of perrenial stream (Tier 3) wetlands for trail construction.
- 2. The department has processed the request and no further permitting action will be taken on the applications/file.
- 3. Any proposed or future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

2015-02500

GRANITE STATE ELECTRIC COMPANY/LIBERTY UTILITIES

LEBANON

Requested Action:

Dredge and fill 22,690 square feet of palustrine scrub-shrub and emergent wetlands (includes 8,674 square feet of temporary impacts and 14,016 square feet of permanent impact) to remove a distribution line, install a new transmission line, expand the Mt Support Substation, and improve an existing right-of-way access road. Compensatory Mitigation for the direct impacts of 14,016 sq.ft. consists of a one-time payment of \$61,725.42.

APPROVE PERMIT:

Dredge and fill 22,690 square feet of palustrine scrub-shrub and emergent wetlands (includes 8,674 square feet of temporary impacts and 14,016 square feet of permanent impact) to remove a distribution line, install a new transmission line, expand the Mt Support Substation, and improve an existing right-of-way access road. Compensatory Mitigation for the direct impacts of 14,016 sq.ft. consists of a one-time payment of \$61,725.42.

- 1. All work shall be in accordance with plans by BSC Group entitled New W149 115KV Tapline to Mount Support Substation dated September 2015 as received by DES on September 21, 2015.
- 2. This approval is contingent on a one-time payment of \$61,725.42.
- 3. The payment shall be received within 120 days of the date of the approval letter or the application will be denied.
- 4. A certified wetlands scientist or qualified professional shall monitor the project during construction to verify that all work is done in accordance with the approved plans and narratives, adequate siltation and erosion controls are properly implemented, and no water quality violations occur.
- 5. Prior to construction in the vicinity of rare plant populations there shall be fencing placed around rare plant population and the contractors shall be educated about avoiding the rare plants.
- 6. The applicant shall meet all contingencies listed in a memo from the New Hampshire Natural Heritage Bureau dated September

11, 2015.

- 7. The articulated concrete mats shall be set at grade.
- 8. Prior to the installation swamp mats and all equipment shall be inspected for and removed of all soil and vegetative matter.

3

- 9. Equipment used shall be designed to have low ground contact pressure or placed on temporary swamp mats so as to minimize rutting of the soils. Swamp mats shall be removed immediately upon completion of work in a particular area so as not to result in permanent impacts.
- 10. The permittee/permittee's contractor shall regrade temporary impacts to pre-construction conditions and plant native species similar to those within the wetland prior to impact. The permittee shall implement corrective measure promptly if needed to ensure the plantings survive.
- 11. Mulch used within the wetland restoration area shall be natural straw or equivalent non-toxic, non-seed-bearing organic material.
- 12. Seed mix within the restoration area shall be a wetland seed mix appropriate to the area and shall be applied in accordance with manufacturers' specifications.
- 13. A post-construction report documenting the status of the restored jurisdictional areas, including photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
- 14. No machinery shall enter the water.
- 15. No excavation shall be done in flowing water. No construction equipment shall be operated in flowing water.
- 16. Extreme precautions shall be taken within riparian areas to prevent unnecessary removal of vegetation during construction.
- 17. Precautions shall be taken to prevent import or transport of soil or seed stock containing nuisance or invasive species such as Purple Loosestrife, Knotweed, or Phragmites. The contractor responsible for work shall appropriately address invasive species in accordance with the NHDOT Best Management Practices for Roadside Invasive Plants (2008).
- 18. The permittee shall control invasive plant species such as Purple loosestrife (Lythrum salicaria) and Common reed (Phragmites) by measures agreed upon by the DES Wetlands Program if any such species is found in the stabilization areas during construction or during the early stages of vegetative establishment.
- 19. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 20. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 21. Construction equipment shall be inspected daily for leaking fuel, oil, and hydraulic fluid prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
- 22. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.
- 23. Faulty equipment shall be repaired immediately prior to entering areas that are subject to RSA 482-A jurisdiction.
- 24. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
- 25. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 26. Any further alteration of areas on this property that are subject to RSA 482-A jurisdiction will require a new application and further permitting.

With Findings:

- 1. This is a major project pursuant to Env-Wt 303.02 (c) Projects that involve alteration of nontidal wetlands, nontidal surface waters, and banks adjacent to nontidal surface waters in excess of 20,000 square feet in the aggregate.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The project is needed to resolve existing and forecasted peak thermal loading issues and improve transmission system reliability.
- 6. The project will occur in existing actively managed utility right-of-way.
- 7. The applicant stated that the access roads were sited based on the presence of the existing road base and previously disturbed areas in each of the wetland systems. Deviation from existing roads eliminated two of the largest permanent wetland crossings, reducing the impacts by approximately 9,000 square feet. Topography precluded any further areas of avoidance.

8. The expansion of the existing substation yard cannot be into an entirely upland area due to property line constraints combined with the need for new equipment to configure the existing facilities. Retaining walls reduce the overall wetland impacts for the expansion of the existing substation.

4

- 9. The project has designed access so that equipment will approach from either side of the stream and no stream crossings are necessary.
- 10. Rare plant surveys have been conducted. One species as observed. The applicant has indicated that no work will occur in the area where the plants were observed. The applicant will install temporary high visibility fencing up gradient from the identified Virginia stickseed locations to demarcate the limits of the sensitive areas prior to the commencement of construction. An environmental monitor will educate contractors about avoiding the rare plants, and oversee the construction process to ensure compliance. These measures are conditions of the permit.
- 11. Vernal pools were not observed along the project route during a vernal pool study in May 2015.
- 12. The Lebanon Conservation Commission reviewed the proposed project and recommended approval with conditions.
- 13. Both the Lebanon Conservation Commission and the Connecticut River Joint Commission recommended that mitigation be accomplished in the form of a conservation project as opposed to an in-lieu payment.
- 14. The department has determined that this project is acceptable for a one-time payment of \$61,725.42 as compensation for the 14,016 sq.ft. of direct impacts.
- 15. Department decision is issued in letter form and upon remittance of the full payment, the Department shall issue a posting permit in accordance with Env-Wt 803.08(f).
- 16. In accordance with RSA 428-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the wetland resources, as identified under RSA 482-A:1.

MINOR IMPACT PROJECT

2014-02874

BENEDICT, DAVID

BELMONT Winnisquam Lake

Requested Action:

Amend permit to replace the outer boards on a crib supported wharf.

Conservation Commission/Staff Comments:

9/18/14 Per DHR, no historic properties affected.

APPROVE AMENDMENT:

Repair 58 linear ft. of retaining wall in-kind, construct 34 linear ft. of new retaining wall, and construct stairs for access to the water adjacent to an existing 4 ft. x 35 ft. seasonal pier, replace the outer face boards around a crib supported wharf on an average of 125 ft. of frontage along Lake Winnisquam, in Belmont.

- 1. All work shall be in accordance with plans by Stoney Ridge Environmental LLC revision dated January 30, 2015, as received by the NH Department of Environmental Services (DES) on February 03, 2015, and amendment request letter dated January 04, 2016.
- 2. The repairs shall maintain the size, location and configuration of the pre-existing structures.
- 3. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
- 4. Retaining wall shall be constructed landward of the shoreline defined by the elevation of normal high water so as not to create land in public water.
- 5. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and

remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.

5

- 7. Only the outer boards surrounding the existing wharf shall be replaced. This permit does not allow replacement of the crib(s).
- 8. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03, (j), repair or replacement of existing retaining walls that requires work in the water, but that results in no change in height, length, location, or configuration.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. DES file 2005-00722 is a complete Seasonal Dock Notification that was submitted to expand the grandfathered seasonal dock. This notification has been found to be invalid. The applicant shall restore the dock dimensions and location to those which existed prior to the Filing of Seasonal Dock Notification #2005-00722.

2015-02083

RED PATH TRUST

ALBANY Wonalancet River

Requested Action:

Dredge and fill 1,276 square feet (196 linear feet) of the bed and banks of Wonalancet River, a perennial stream, to stabilize an eroding stream bank. Work in jurisdiction includes 950 square feet of temporary impacts, stabilizing 98 linear feet of the bank with rip-rap, and planting deciduous woody shrubs along the top of bank.

APPROVE PERMIT:

Dredge and fill 1,276 square feet (196 linear feet) of the bed and banks of Wonalancet River, a perennial stream, to stabilize an eroding stream bank. Work in jurisdiction includes 950 square feet of temporary impacts, stabilizing 98 linear feet of the bank with rip-rap, and planting deciduous woody shrubs along the top of bank.

- 1. All work shall be in accordance with plans by Paul L King entitled Wetland Plan of Land in Albany, NH dated July 2014 and revised 8DEC2015 as received by the NH Department of Environmental Services (DES) on December 14, 2015.
- 2. A qualified professional shall monitor the project during construction to verify that all work is done in accordance with the approved plans and narratives, adequate siltation and erosion controls are properly implemented, and no water quality violations occur.
- 3. Bank stabilization shall not extend land into the stream channel.
- 4. Area of temporary impact shall be regraded to original contours following completion of work.
- 5. Work shall be done during annual low flow conditions and during the months of May through September. No in-stream work shall occur after October 1 unless a waiver of this condition is issued in writing by DES in consultation with NH Fish & Game.
- 6. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.

- 8. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
- 9. Prior to commencing work within surface waters, the permittee or permittee's contractors shall construct a cofferdam to isolate the work area from the surface waters.
- 10. The Permitee shall monitor the weather and will not commence work within flowing water, including the installation of cofferdams, when rain is in the forecast.
- 11. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once the cofferdam is fully effective, confined work can proceed without restriction.
- 12. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters.
- 13. Temporary cofferdams shall be entirely removed immediately following construction.
- 14. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation for access.
- 15. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 16. Construction equipment shall be inspected daily for leaking fuel, oil, and hydraulic fluid prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
- 17. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
- 18. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.
- 19. Precautions shall be taken to prevent import or transport of soil or seed stock containing nuisance or invasive species such as Purple Loosestrife, Knotweed, or Phragmites.
- 20. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 21. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 22. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 23. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

With Findings:

- 1. This is a Minor Project per Administrative Rule Env-Wt 303.03 (l) Projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The proposed bank stabilization is necessary to address the streambank erosion that will eventually threaten the existing house.
- 3. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
- 4. The applicant's agent stated that based upon aerial photograph review the Wonalancet River has drifted southerly approximately 25 feet.
- 5. The applicant's agent stated that Wonalancet River upstream of the proposed project appears to have been historically straightened and channelized. This manipulation had the effect of not allowing the river access to portions of its floodplain and funneling stormwater runoff directly downstream with energy focused at the project site.
- 6. The applicant has requested a waiver per Env-Wt 204.03, to the requirement that the department shall limit the location of a project to at least 20 feet from an abutting property line or imaginary extension thereof over surface water unless it receives written agreement from the affected abutter concurring with any impact that may result relative to the abutter's as required by Env-Wt 304.04 (a).
- 7. The applicant attempted to obtain written agreement from the affected abutter, owner of Town of Albany Tax Map 1 Lot 3.
- 8. In an e-mail dated September 15, 2015 the abutter responded "....I neither confirm nor deny my permission to the works requested."

- 9. The alternative of taking no action would jeopardize that applicant's property.
- 10. The agent stated that the project would not result in an impact to the abutting properties that is more significant than which would result from complying with the rule.
- 11. The proposed stream bank stabilization will maintain the width depth ratio of the stream channel through the existing cross-section maintaining stream channel stability and will not reduce floodwater access to the floodplain.
- 12. The agent stated that the limited length and height of the stone riprap was a design compromise to allow some energy associated with flood flows to be dissipated by flowing over the top and accessing the floodplain and therefore not redirecting the stream and increasing the potential impacts to the abutting parcels from flooding, stream velocities and potential erosion. 13. The waiver is granted in accordance with Env-Wt 204.05(a) granting a waiver will not result in an avoidable adverse impact on the environment or natural resources of the state, public health, or public safety; an impact on abutting properties that is more significant than that which would result from complying with the rule; or a statutory requirement being waived. Any benefit to the public or the environment from complying with the rule is outweighed by the operational or economic costs to the applicant.
- 14. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2015-02694 MCGRATH FAMILY REV TRUST

ALTON Lake Winnipesaukee

Requested Action:

Replace an existing seasonal dock and concrete pad with a new 6 ft. x 36 ft. seasonal pier anchored to a new concrete pad landward of the reference line located east of an existing 6 ft. 5 in. x 12 ft. permanent wharf on an average of 99 feet of shoreline frontage on Rattlesnake Island, Lake Winnipesaukee, in Alton.

APPROVE PERMIT:

Replace an existing seasonal dock and concrete pad with a new 6 ft. x 36 ft. seasonal pier anchored to a new concrete pad landward of the reference line located east of an existing 6 ft. 5 in. x 12 ft. permanent wharf on an average of 99 feet of shoreline frontage on Rattlesnake Island, Lake Winnipesaukee, in Alton.

- 1. All work shall be in accordance with plans by Advantage NH Lakes dated September 10, 2015, and revised through January 03, 2016, as received by DES on January 03, 2016.
- 2. This permit is not valid and effective until it has been recorded with the appropriate county Registry of Deeds by the applicant. Prior to starting work under this permit, the permitted shall submit a copy of the recorded permit to the DES Wetlands Program by certified mail, return receipt requested.
- 3. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code of Administrative Rules Env-Wq 1400 during and after construction.
- 4. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
- 5. Work authorized shall be carried out such that there are no discharges in or to spawning or nursery areas during spawning seasons. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.
- 6. Work shall be carried out in a time and manner to avoid disturbances to migratory waterfowl breeding and nesting areas.
- 7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
- 9. All dredged and excavated material and construction-related debris shall be placed outside of the areas subject to RSA 482-A. Any spoil material deposited within 250 feet of any surface water shall comply with RSA-483-B.
- 10. Only those structures shown on the approved plans shall be installed or constructed along this frontage. All portions of the structures, including the breakwater toe of slope, shall be at least 20 ft. from the abutting property lines or the imaginary extension of those lines into the water.

32 (2) (3) (3)

11. This permit does not allow dredging for any purpose.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), modification of an existing docking structure providing more than 2 slips.

8

- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The proposed modification removes a concrete pad located in the waterbody and provides a seasonal dock extending no further lakeward than the existing seasonal dock and concrete pad. This modification is less impacting than repairing the existing structure "in kind".
- 6. The repair of the dock reduces the impact of permanent structures in public waters and does not provide more slips than existing on the frontage, therefore addressing the local Conservation Commissions concerns.

2015-02785

NH DEPT OF TRANSPORTATION

WESTMORELAND Mill Brook

Requested Action:

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

APPROVE PERMIT:

Remove a residential structure and place stone for stabilization impacting 524 sq. ft. (407 sq. ft. temporary) of bank. NHDOT project 29282

With Conditions:

- 1. All work shall be in accordance with plans by NHDOT Bureau of Highway Design dated 09/2015, as received by the Department on Oct. 16, 2015.
- 2. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 3. All work shall be done from the top of the bank only.
- 4. The adjacent streambed shall not be disturbed.
- 5. To prevent the introduction of invasive plant species to the site, the permittee's contractor(s) shall clean all soils and vegetation from construction equipment and matting before such equipment is moved to the site.
- 6. Precautions shall be taken to prevent import or transport of soil or seed stock containing nuisance or invasive species such as Purple Loosestrife, Knotweed, or Phragmites. The contractor responsible for work shall appropriately address invasive species in accordance with the NHDOT Best Management Practices for Roadside Invasive Plants (2008).

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(l), alteration of less than 200 linear feet of bank.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. Research by the DES found two previous permits to stabilize this area of embankment under files 1995-02331 and 2003-01727.

2015-03087

EMILY R HART REVOCABLE TRUST

DURHAM Little Bay

Requested Action:

Proposal to impact a total of 6,104 sq. ft., 2,104 sq. ft. of permanent impact and 4,000 sq. ft. of temporary impact, of previously developed upland tidal buffer zone to remove an existing dwelling and construct a new dwelling with attached garage and deck, removal of two sheds, construct a driveway and walkway with pervious technology, and relocate the septic system.

APPROVE PERMIT:

Impact a total of 6,104 sq. ft., 2,104 sq. ft. of permanent impact and 4,000 sq. ft. of temporary impact, of previously developed upland tidal buffer zone to remove an existing dwelling and construct a new dwelling with attached garage and deck, removal of two sheds, construct a driveway and walkway with pervious technology, and relocate the septic system.

With Conditions:

- 1. All work shall be in accordance with plans by Eckman Engineering, LLC dated September 10, 2015, and revised through December 14, 2015 as received by the NH Department of Environmental Services (DES) on December 18, 2015.
- 2. The applicant shall provide a planted buffer of native shrubs along shoreline frontage. The applicant shall provide photographic documentation to both DES and NH Natural Heritage Bureau within 30 days of planting completion.
- 3. No more than 25% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 176 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code Admin. Rules Env-Wq 1400 during and after construction.
- 6. Any further alteration of areas on this property that are subject to RSA 482-A jurisdiction will require a new application and further permitting.
- 7. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
- 8. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 9. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
- 10. Erosion control products shall be installed per manufacturers recommended specifications.
- 11. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 12. Any fill used shall be clean sand, gravel, rock, or other suitable material.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(b), projects that involve work within 50 feet of a saltmarsh that do not meet the criteria of Env-Wt 303.02.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. All of the impacts occur landward of the highest observable tide line and within the previously developed upland tidal buffer zone. In addition, the applicant is providing stormwater structures designed to infiltrate roof runoff, pervious technology driveway and walkway, and a shoreline native planted buffer.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project. 5. The NH Natural Heritage Bureau ("NHB") has record of a sensitive species present within the vicinity of the project area. The applicant coordinated with NHB to minimize impacts to the species.

10

- 6. The applicant obtained Shoreland Permit #2015-2679 for the proposed work.
- 7. The Durham Conservation Commission signed the application and recommends approval of the project.

MINIMUM IMPACT PROJECT

2015-02966

WILLIAMS, PENNY

NEW DURHAM Unnamed Wetland

Requested Action:

Proposal to fill a total of 898 sq. ft. of forested wetland in three locations for the construction of a driveway to serve a single-family residential lot including the following: Wetland Impact #1: fill 22 sq. ft. for driveway edge fill; Wetland Impact #2: fill 476 sq. ft. and installation of a 12 in. x 16 ft. long HDPE culvert and; Wetland Impact #3: fill 400 sq. ft. and installation of a 18 in. x 16 ft. long HDPE culvert.

APPROVE PERMIT:

Fill a total of 898 sq. ft. of forested wetland in three locations for the construction of a driveway to serve a single-family residential lot including the following: Wetland Impact #1: fill 22 sq. ft. for driveway edge fill; Wetland Impact #2: fill 476 sq. ft. and installation of a 12 in. x 16 ft. long HDPE culvert and; Wetland Impact #3: fill 400 sq. ft. and installation of a 18 in. x 16 ft. long HDPE culvert.

- 1. All work shall be in accordance with plans by Stoney Ridge Environmental, LLC dated October 27, 2015 as received by the NH Department of Environmental Services (DES) on October 29, 2015.
- 2. This permit does not relieve the applicant from the obligation to obtain local permits and approvals.
- 3. This permit is not valid unless a septic system construction approval or other compliance with RSA 485-A:29-44 and Env-Wq 1000 is achieved.
- 4. Any further alteration of areas on this property that are subject to RSA 482-A jurisdiction will require a new application and further permitting.
- 5. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
- 6. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 7. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 8. Extreme precautions shall be taken within riparian areas to prevent unnecessary removal of vegetation during construction. Areas cleared of vegetation must be revegetated with like native species within three days of the completion of the disturbance.
- 9. Construction equipment shall be inspected daily for leaking fuel, oil, and hydraulic fluid prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
- 10. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
- 11. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.
- 12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing

season, by mulching with tackifiers on slopes less than 3:1 or netting and pinning on slopes steeper than 3:1.

11

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet in swamps and wet meadows.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that wetland impact is necessary to access uplands.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has demonstrated that the wetland crossings are located at the most narrow locations.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. 5. The NH Natural Heritage Bureau ("NHB") has no record of sensitive species present within the vicinity of the project area.
- 6. The New Durham Planning Board sent a letter to DES stating that the property in question is currently in woodlot status and no dwellings are permitted per the Town of New Durham zoning. This issue is not within DES jurisdiction, but pursuant to permit condition #2 the permit does not relieve the applicant from the obligation to obtain local permits and approvals.
- 7. The New Durham Conservation Commission did not submit comments to DES on the application.

FORESTRY NOTIFIC	CATION	
*******	*********	
2016-00001	SWIFT, LAWRENCE	
LANCASTER	Unnamed Stream	
Requested Action	on:	
Lancaster, Tax I	Map #1213, Lot #5	

2016-00002

TRESCOTT COMPANY INC

HANOVER Unnamed Stream

COMPLETE NOTIFICATION: Hanover, Tax Map #5, Lot #112

2016-00004

EMMETT, MARCIA

HAVERHILL Unnamed Stream

2016-00006

KOKAL, ANDRE

GREENFIELD Unnamed Stream

01/04/2016 to 01/10/2016

Requested Action:

Greenfield, Tax Map R-5, Lot 3

2016-00007

BAYROOT LLC

DIXVILLE Unnamed Stream

COMPLETE NOTIFICATION:

Dixville, Tax Map #1626, Lot #9

2016-00008

SMITH, BRYAN

CARROLL Unnamed Stream

Requested Action:

Carroll, Tax Map #407, Lot #53

2016-00012

BENSON, ROBERT

BROOKFIELD Unnamed Stream

COMPLETE NOTIFICATION:

Brookfield, Tax Map #9, Lot #1, 10, 11 & 12.

2016-00032

TWITCHELL HEIRS

MILAN Unnamed Stream

COMPLETE NOTIFICATION:

Milan, Tax Map #42, Lot #2

2016-00048

THE CONSERVATION FUND

SUCCESS Unnamed Stream

COMPLETE NOTIFICATION:

Success, Tax Map #1613, Lot #10

2016-00050

MOULTON, ROBERT

NEW HAMPTON Unnamed Stream

Requested Action:

New Hampton, Tax Map #R16, Lot #14

2016-00058

MANELY, NIGEL

BETHLEHEM Unnamed Stream

Requested Action:

Bethlehem, Tax Map #402, Lot #24

2016-00083

CASTELLO, PAUL/DIANE

BATH Unnamed Stream

Requested Action:

Bath, Tax Map #18, Lot #30

2016-00112

WOODBURY, CAROLYN

SANDWICH Unnamed Stream

Requested Action:

Sandwich, Tax Map R13, Lot #'s: 10, 11

EXPEDITED MINIMUM

2015-03063

HEATHER A HORAN REVOCABLE TRUST

SUNAPEE Sunapee Lake

Requested Action:

Repair "in kind" an existing 47 linear feet of existing retaining wall, Lake Sunapee, Sunapee.

APPROVE PERMIT:

Repair "in kind" an existing 47 linear feet of existing retaining wall, Lake Sunapee, Sunapee.

- 1. All work shall be in accordance with plans dated November 09, 2015, as received by DES on November 13, 2015, and cross section plans dated December 21, 2015, as received by the Department on December 28, 2015.
- 2. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code of Administrative Rules Env-Wq 1400 during and after construction.
- 3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
- 4. Work authorized shall be carried out such that there are no discharges in or to spawning or nursery areas during spawning seasons. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.
- 5. Work shall be carried out in a time and manner to avoid disturbances to migratory waterfowl breeding and nesting areas.
- 6. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has

returned to normal clarity.

8. All dredged and excavated material and construction-related debris shall be placed outside of the areas subject to RSA 482-A. Any spoil material deposited within 250 feet of any surface water shall comply with RSA-483-B.

14

- 9. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 10. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
- 11. This permit shall not preclude DES from initiating appropriate action if DES later determines that any of the structures depicted as "existing" on the plans submitted by or on behalf of the permitted were not previously permitted or grandfathered.
- 12. Work shall be done during low flow and in the dry only.
- 13. The repairs shall maintain the size, location, and configuration of the pre-existing structures.
- 14. The retaining wall shall be constructed landward of the shoreline defined by the elevation of normal high water so as not to create land in public water.
- 15. The permittee/permittee's contractor shall revegetate the disturbed area with trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project, exclusive of any invasive or nuisance species.
- 16. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tackifiers on slopes less than 3:1 or netting and pinning on slopes steeper than 3:1.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 (c) Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown
- of waters, and that results in no change in height, length, location, or configuration.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2015-03275

LETENDRE, RICHARD

GILFORD Lake Winnipesaukee

Requested Action:

Repair an existing major complex permanent docking system "in kind" with no changes on Welch Island, Lake Winnipesaukee, Gilford.

Conservation Commission/Staff Comments:

12/07/2015 Several Con Com letters were received beginning on Nov. 20th. On Dec. 1, 2015, the Con Com ultimately voted to recommend approval based upon the revised plans submitted on Nov. 20th to replace 5 cribs in-kind with the normal siltation measures in place.

APPROVE PERMIT:

Repair an existing major complex permanent docking system "in kind" with no changes on Welch Island, Lake Winnipesaukee, Gilford.

- 1. All work shall be in accordance with plans by Winnipesaukee Marine Construction dated November 05, 2015, as received by DES on December 08, 2015.
- 2. This permit is not valid and effective until it has been recorded with the appropriate county Registry of Deeds by the applicant.

Prior to starting work under this permit, the permitted shall submit a copy of the recorded permit to the DES Wetlands Program by certified mail, return receipt requested.

15

- 3. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code of Administrative Rules Env-Wq 1400 during and after construction.
- 4. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
- 5. Work authorized shall be carried out such that there are no discharges in or to spawning or nursery areas during spawning seasons. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.
- 6. Work shall be carried out in a time and manner to avoid disturbances to migratory waterfowl breeding and nesting areas.
- 7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
- 9. All dredged and excavated material and construction-related debris shall be placed outside of the areas subject to RSA 482-A. Any spoil material deposited within 250 feet of any surface water shall comply with RSA-483-B.
- 10. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 11. Only those structures shown on the approved plans shall be installed or constructed along this frontage.
- 12. Only existing rocks that have fallen from the structure(s) shall be used for the repairs. No additional rocks shall be used, whether obtained from the site or brought to the site.
- 13. The repairs shall maintain the size, location, and configuration of the pre-existing structures.
- 14. All construction-related debris shall be placed outside of areas subject to RSA 482-A jurisdiction.
- 15. This permit does not allow dredging for any purpose.
- 16. The permittee may make repairs to the permitted structures as necessary, prior to the permit expiration date, provided that prior to performing any repair the permittee notifies the DES Wetlands Program and the Conservation Commission, in writing, of the proposed start and completion dates

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2015-03307

BURROWS, RICHARD

STRAFFORD

Requested Action:

Proposal to dredge and fill 235 square feet of wetland including installation of an 8 in. x 20 ft. long PVC culvert to construct a driveway to access one lot in the subdivision of 25.66 acres for a four lot single-family subdivision.

APPROVE PERMIT:

Dredge and fill 235 square feet of wetland including installation of an 8 in. x 20 ft. long PVC culvert to construct a driveway to access one lot in the subdivision of 25.66 acres for a four lot single-family subdivision.

- 1. All work shall be in accordance with plans by Stonewall Surveying dated November 19, 2015 as received by the NH Department of Environmental Services (DES) on December 14, 2015.
- 2. This permit is not valid unless subdivision approval/septic system construction approval or other compliance with RSA 485-A:29-44 and Env-Wq 1000 is achieved.
- 3. Any further alteration of areas on this property that are subject to RSA 482-A jurisdiction will require a new application and further permitting.

4. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.

16

- 5. Work shall be done during low flow.
- 6. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 7. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 8. Extreme precautions shall be taken within riparian areas to prevent unnecessary removal of vegetation during construction. Areas cleared of vegetation must be revegetated with like native species within three days of the completion of the disturbance.
- 9. Construction equipment shall be inspected daily for leaking fuel, oil, and hydraulic fluid prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
- 10. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
- 11. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.
- 12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tackifiers on slopes less than 3:1 or netting and pinning on slopes steeper than 3:1.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet in swamps and wet meadows.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that wetland impact is necessary to access buildable uplands.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has demonstrated that the crossing is located at the most narrow portion of the wetlands.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. 5. NH Natural Heritage Bureau ("NHB") has record of sensitive species within the project vicinity, but NHB does not expect impacts to the sensitive species from the project.
- 6. The Strafford Conservation Commission signed the application recommending approval.

2015-03329

SMITH, LAURA/MARK

MADBURY Mallego Brook

Requested Action:

APPROVE PERMIT:

Fill 2,940 square feet of wetland and installation of a 15 in. HDPE culvert to upgrade an existing logging road to construct a driveway to access one lot in the subdivision of 34.38 acres for a two lot single-family subdivision.

- 1. All work shall be in accordance with plans by Berry Surveying & Engineering dated September 22, 2015, and revised through January 6, 2016 as received by the NH Department of Environmental Services (DES) on January 7, 2015.
- 2. This permit is not valid unless subdivision approval/septic system construction approval or other compliance with RSA 485-A:29-44 and Env-Wq 1000 is achieved.
- 3. Portions of the two lots are within the jurisdiction of RSA 483-B, the Shoreland Water Quality Protection Act. No construction activity shall occur within Shoreland jurisdiction until a Shoreland permit is obtained from DES, if applicable.

01/04/2016 to 01/10/2016

- 4. Any further alteration of areas on this property that are subject to RSA 482-A jurisdiction will require a new application and further permitting.
- 5. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
- 6. Work shall be done during low flow.
- 7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 8. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 9. Extreme precautions shall be taken within riparian areas to prevent unnecessary removal of vegetation during construction. Areas cleared of vegetation must be revegetated with like native species within three days of the completion of the disturbance.
- 10. Construction equipment shall be inspected daily for leaking fuel, oil, and hydraulic fluid prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
- 11. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
- 12. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.
- 13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tackifiers on slopes less than 3:1 or netting and pinning on slopes steeper than 3:1.1. This permit is not valid unless an Alteration of Terrain permit or other method of compliance with RSA 485-A:17 and Env-Wq 1500 is achieved.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet in swamps and wet meadows.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that wetland impact is necessary to access buildable uplands.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has demonstrated that the crossing is a previously disturbed area used as a logging road and is being upgraded to a formal driveway. In addition, this will be part of a shared driveway for the two lot subdivision.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. 5. NH Natural Heritage Bureau ("NHB") has no record of sensitive species within the project
- 6. The Madbury Conservation Commission signed the application recommending approval.

GOLD DREDGE

2016-00054

ANDERSON, NICHOLAS

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc:Bath Con Com

TRAILS NOTIFICATION

2015-03440

SABA, PAUL

SPOFFORD Unnamed Pond

COMPLETE NOTIFICATION:

TOWN OF CHESTERFIELD, TAX MAP 11A, BLOCK B, LOT 1

2015-03441

CHESTERFIELD, TOWN OF

CHESTERFIELD Unnamed Wetland

COMPLETE NOTIFICATION:

TOWN OF CHESTERFIELD, TAX MAP 12, BLOCK B, LOT 1

2015-03445

CHESTERFIELD, TOWN OF

SPOFFORD Unnamed Stream

COMPLETE NOTIFICATION:

Town of Chesterfield, TAX MAP 11A, BLOCK B, LOTS 5,6,7,8

2016-00064

KELLY, JAMES

NORTH WOODSTOCK Unnamed Wetland

COMPLETE NOTIFICATION:

Woodstock Tax Map 208 Lot 7

LAKES-SEASONAL DOCK NOTIF

2016-00049

READ, RICHARD

ALTON Lake Winnipesaukee

Requested Action:

Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:

Installation of a seasonal docking structure.

-Send to Governor and Executive Council-

ROADWAY MAINTENANCE NOTIF

2016-00011

NH DEPARTMENT OF TRANSPORTATION

19

BRIDGEWATER Unnamed Stream

COMPLETE NOTIFICATION:

Replacing a 15" x 60' cmp.

PERMIT BY NOTIFICATION

2015-02066

TLK TRUST

STODDARD Spofford Lake

Requested Action:

Construction of a 4' x 24' seasonal dock, with no more than 2 slips in accordance with plans.

PBN IS COMPLETE:

Construction of a 4' x 24' seasonal dock, with no more than 2 slips in accordance with plans.

2015-03260

BREWER, LEEDS/CHARLOTTE

CONWAY Conway Lake

With Findings:

PBN was not complete, a more info request was issued; information received was not sufficient.

Requested Action:

Replacement in-kind of existing boathouse with no change in location, configuration, construction type or dimensions in accordance with plans dated December 13, 2015.

PBN IS COMPLETE:

Replacement in-kind of existing boathouse with no change in location, configuration, construction type or dimensions in accordance with plans dated December 13, 2015.

2016-00009

CORR, BRYAN/LINDA

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Replacement in-kind of existing boathouse provided no change in location, configuration, construction type or dimensions in accordance with plans dated November 2, 2015.

Conservation Commission/Staff Comments:

1/7/16 Con Com does not have any objections to the issuance of a permit.

Waiver request granted from receiving abutter permission to replace grandfathered structure that lies within 20 feet of abutting property.

20

PBN IS COMPLETE:

Replacement in-kind of existing boathouse provided no change in location, configuration, construction type or dimensions in accordance with plans dated November 2, 2015.

CSPA PERMIT

2015-01874

HUTCHINSON, THOMAS

NEW DURHAM Merrymeeting Lake

Requested Action:

Impact 17,820 sq. ft. to demolish the existing structure, construct a new home with attached garage, reconfigure the driveway, install a septic system and provide landscaping.

Conservation Commission/Staff Comments:

Permit is for work on lots 12 and 15.

APPROVE PERMIT:

Impact 17,820 sq. ft. to demolish the existing structure, construct a new home with attached garage, reconfigure the driveway, install a septic system and provide landscaping.

- 1. All work shall be in accordance with plans by Terrain Planning & Design, LLC dated December 16, 2015 and received by the NH Department of Environmental Services (DES) on December 24, 2015.
- 2. This permit is not valid unless a septic system construction approval or other compliance with RSA 485-A:29-44 and Env-Wq 1000 is achieved.
- 3. This permit shall not preclude DES from initiating appropriate action if DES later determines that any of the structures depicted as "existing" on the plans submitted by or on behalf of the permitted were not previously permitted or grandfathered.
- 4. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9,V(a)(2)(D)(iv).
- 5. No more than 25% of the area of each lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 6. At least 1,077 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9,V(b)(2).
- 7. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code Admin. Rules Env-Wq 1400 during and after construction.
- 8. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 9. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 10. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wg 1700.
- 11. Any fill used shall be clean sand, gravel, rock or other suitable material.
- 12. This permit does not authorize or approve of any impact that might occur in areas subject to RSA 482-A, including all wetlands,

surface waters and their banks. The owner is responsible for maintaining compliance with RSA 482-A and N.H. Code Admin. Rules Env-Wt 100 - 900 and obtaining any permit that may be required by RSA 482-A prior to construction, excavation, or fill in any area that is subject to RSA 482-A jurisdiction.

21

2015-03100 YONKUNAS, JOHN

MEREDITH Winnisquam Lake

Requested Action:

Impact 3,995 sq. ft. to construct a detached garage, reconfigure the driveway, install stormwater management and connect the new garage to the existing septic system.

APPROVE PERMIT:

Impact 3,995 sq. ft. to construct a detached garage, reconfigure the driveway, install stormwater management and connect the new garage to the existing septic system.

With Conditions:

- 1. All work shall be in accordance with plans by Ames Associates dated November 13, 2015 and received by the NH Department of Environmental Services (DES) on November 18, 2015.
- 2. This permit shall not preclude DES from initiating appropriate action if DES later determines that any of the structures depicted as "existing" on the plans submitted by or on behalf of the permitted were not previously permitted or grandfathered.
- 3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V,(a)(2)(D)(iv).
- 4. No more than 30% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 5. At least 4,015 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9,V(b)(2).
- 6. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code Admin. Rules Env-Wq 1400 during and after construction.
- 7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 8. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 9. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock or other suitable material.

2015-03113 TREVOR FAMILY TRUST DATED DECEMBER 29 2004

ALTON Lake Winnipesaukee

Requested Action:

Impact 7,230 sq. ft. to construct additions along the northerly and southerly sides of the existing residence, reconfigure walkways, construct a new stone wall and a new walkway to a proposed patio within the waterfront buffer.

APPROVE PERMIT:

Impact 7,230 sq. ft. to construct additions along the northerly and southerly sides of the existing residence, reconfigure walkways, construct a new stone wall and a new walkway to a proposed patio within the waterfront buffer.

- 1. All work shall be in accordance with plans by Ames Associates dated December 17, 2015 and received by the NH Department of Environmental Services (DES) on December 28, 2015.
- 2. This permit shall not preclude DES from initiating appropriate action if DES later determines that any of the structures depicted as "existing" on the plans submitted by or on behalf of the permitted were not previously permitted or grandfathered.
- 3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V(a)(2)(D)(iv).
- 4. No more than 15.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

- 5. At least 6,595 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9,V(b)(2).
- 6. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code Admin. Rules Env-Wq 1400 during and after construction.
- 7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
- 8. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 9. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2015-03262

CAYON REVOCABLE TRUST OF 2013, DEANNA

TUFTONBORO Lake Winnipesaukee

Requested Action:

Impact 21,900 sq ft in order to remove a nonconforming 3 bedroom home and replace with a conforming 3 bedroom home. Project includes, a new septic system, well, and stormwater system.

APPROVE PERMIT:

Impact 21,900 sq ft in order to remove a nonconforming 3 bedroom home and replace with a conforming 3 bedroom home. Project includes, a new septic system, well, and stormwater system.

- 1. All work shall be in accordance with revised plans by William J. McNair dated January 1, 2016 and received by the NH Department of Environmental Services (DES) on January 1, 2016.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
- 4. No more than 26.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 5. At least 4,495 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock, or other suitable material.

11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

23

2015-03277 KING, PETER L/JEAN M

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Impact 10,800 sq ft in order to replace older septic system with a 3 bedroom Town and State approved Septic System. The project includes the removal of boulders in order to reconfigure driveway and parking.

APPROVE PERMIT:

Impact 10,800 sq ft in order to replace older septic system with a 3 bedroom Town and State approved Septic System. The project includes the removal of boulders in order to reconfigure driveway and parking.

With Conditions:

- 1. All work shall be in accordance with plans by William J. McNair dated November 24, 2015 and received by the NH Department of Environmental Services (DES) on December 9, 2015.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
- 4. No more than 19.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 5. At least 2,719 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-03278 HANEY, EVA/KEITH

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Impact 955 sq ft in order to add a garage to previously permitted home under file 2015-02202.

APPROVE PERMIT:

Impact 955 sq ft in order to add a garage to previously permitted home under file 2015-02202.

With Conditions:

1. All work shall be in accordance with plans by Beckwith Builders, Inc. dated December 1, 2015 and received by the NH Department of Environmental Services (DES) on December 9, 2015.

2. No more than 26.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

24

- 3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-03283 DUGGAN JR, CAROL/JAMES

FREEDOM Ossipee Lake

Requested Action:

Impact 201 sq ft in order to remove trees and stumps from the waterfront buffer and maintain the required points per grid.

APPROVE PERMIT:

Impact 201 sq ft in order to remove trees and stumps from the waterfront buffer and maintain the required points per grid.

- 1. All work shall be in accordance with plans by Mark McConkey dated December 2, 2015 and received by the NH Department of Environmental Services (DES) on December 9, 2015.
- 2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
- 3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

Requested Action:

Impact 20,385 sq ft in order to remove existing dwelling and all existing out-buildings to allow for a new house with a connected garage further from the reference line. The existing driveway will be removed and a newly aligned driveway will be constructed. Existing paths will be removed and a new pervious trail will be constructed from pervious patio facing the lake. A new septic system is proposed.

25

APPROVE PERMIT:

Impact 20,385 sq ft in order to remove existing dwelling and all existing out-buildings to allow for a new house with a connected garage further from the reference line. The existing driveway will be removed and a newly aligned driveway will be constructed. Existing paths will be removed and a new pervious trail will be constructed from pervious patio facing the lake. A new septic system is proposed.

With Conditions:

- 1. All work shall be in accordance with plans by CLD Consulting Engineers dated November 2015 and received by the NH Department of Environmental Services (DES) on December 10, 2015.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
- 4. No more than 23.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 5. At least 1,516 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 12. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
- 13. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-03292 HUGHES, ELLEN/JAMES

WOLFEBORO Wentworth Lake

Requested Action:

APPROVE PERMIT:

Impact 2,676 sq ft in order to construct an addition onto an existing house along with an attached garage. Project includes the removal of some existing pavement, a new septic system to be constructed, and install stormwater protection.

26

With Conditions:

- 1. All work shall be in accordance with plans by Fernstone Associates dated December 5, 2015 and received by the NH Department of Environmental Services (DES) on December 10, 2015.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 29.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 330 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wg 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-03311 HAMBRICK-STOWE, CHARLES

DEERING Deering Reservoir

Requested Action:

Impact 6,350 sq ft in order to add an addition to the existing home and install a new septic system.

APPROVE PERMIT:

Impact 6,350 sq ft in order to add an addition to the existing home and install a new septic system.

- 1. All work shall be in accordance with plans by Meridean Land Services, Inc. dated December 14, 2015 and received by the NH Department of Environmental Services (DES) on December 14, 2015. 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 10.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 2,917 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

01/04/2016 to 01/10/2016

UTILITY NOTIFICATION

2016-00005

EVERSOURCE ENERGY

AMHERST Unnamed Wetland

2016-00013

EVERSOURCE ENERGY

ANTRIM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-0005 for fee amount.

2016-00014

EVERSOURCE ENERGY

BARRINGTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00015

EVERSOURCE ENERGY

BEDFORD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00016

EVERSOURCE ENERGY

BERLIN Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00017

EVERSOURCE ENERGY

BETHLEHEM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-0005 for fee amount.

2016-00018

EVERSOURCE ENERGY

BOW Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00019

EVERSOURCE ENERGY

BROOKLINE Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00020

EVERSOURCE ENERGY

CLAREMONT Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00021

EVERSOURCE ENERGY

CROYDON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00022

EVERSOURCE ENERGY

DALTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00023

EVERSOURCE ENERGY

DEERFIELD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

-Send to Governor and Executive Council-

2016-00026

EVERSOURCE ENERGY

DOVER Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00027

EVERSOURCE ENERGY

DUNBARTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

01/04/2016 to 01/10/2016

29

2016-00028

EVERSOURCE

FARMINGTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00029

EVERSOURCE ENERGY

FITZWILLIAM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00033

EVERSOURCE ENERGY

GOFFSTOWN Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00034

EVERSOURCE ENERGY

GORHAM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00035

EVERSOURCE ENERGY

GREENLAND Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00037

EVERSOURCE ENERGY

HAMPTON FALLS Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00038

EVERSOURCE ENERGY

HAMPTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00039

EVERSOURCE ENERGY

HILLSBOROUGH Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00040 **EVERSOURCE ENERGY** HINSDALE Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00041 **EVERSOURCE ENERGY HOOKSETT** Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00042 **EVERSOURCE ENERGY HUDSON** Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00051 **EVERSOURCE ENERGY** JEFFERSON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00053 **EVERSOURCE ENERGY KEENE** Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount

2016-00055 **EVERSOURCE ENERGY** MILFORD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00056 **EVERSOURCE ENERGY** LEE Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2016-00005 for fee amount.

2016-00057

EVERSOURCE ENERGY

MADBURY Unnamed Wetland

Conservation Commission/Staff Comments: See file #2016-00005 for the fee amount.

2016-00059

EVERSOURCE ENERGY

LITCHFIELD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for the fee amount.

2016-00060

EVERSOURCE ENERGY

LITTLETON Unnamed Wetland

2016-00061

EVERSOURCE ENERGY

MANCHESTER Unnamed Wetland

Conservation Commission/Staff Comments: See fille #2016-0005 for the fee amount.

2016-00062

EVERSOURCE ENERGY

LONDONDERRY Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount

2016-00063

EVERSOURCE ENERGY

MARLBOROUGH Unnamed Wetland

Conservation Commission/Staff Comments: See file #2016-00005 for the fee amount.

2016-00065

EVERSOURCE ENERGY

MASON Unnamed Wetland

Conservation Commission/Staff Comments: See file #2016-00005 for the fee amount.

01/04/2016 to 01/10/2016

2016-00066

EVERSOURCE ENERGY

MERRIMACK Unnamed Wetland

Conservation Commission/Staff Comments: See file #2016-00005 for the fee amount.

2016-00067

EVERSOURCE ENERGY

RICHMOND Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00068

EVERSOURCE ENERGY

RINDGE Unnamed Wetland

Conservation Commission/Staff Comments: See file #2016-00005 for the fee amount.

2016-00069

EVERSOURCE ENERGY

NEWPORT Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00070

EVERSOURCE ENERGY

ROCHESTER Unnamed Wetland

Conservation Commission/Staff Comments: See file # 2016-00005 for the fee amount.

2016-00071

EVERSOURCE ENERGY

NORTH HAMPTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00072

EVERSOURCE ENERGY

NOTTINGHAM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00073

EVERSOURCE ENERGY

SEABROOK Unnamed Wetland

01/04/2016 to 01/10/2016

Conservation Commission/Staff Comments: See File 2016-00005 for the fee amount.

2016-00074

EVERSOURCE ENERGY

PORTSMOUTH Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00075

EVERSOURCE ENERGY

STODDARD Unnamed Wetland

Conservation Commission/Staff Comments: See file # 2016-00005 for the fee amount.

2016-00076

EVERSOURCE ENERGY

RANDOLPH Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-0005 for fee amount.

2016-00077

EVERSOURCE ENERGY

SUGAR HILL Unnamed Wetland

Conservation Commission/Staff Comments: See file # 2016-00005 for the fee amount.

2016-00078

EVERSOURCE ENERGY

SULLIVAN Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00079

EVERSOURCE ENERGY

SUNAPEE Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00080

EVERSOURCE ENERGY

DURHAM Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2016-00005 for fee amount.

2016-00081

EVERSOURCE ENERGY

MILTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00082

EVERSOURCE ENERGY

CANDIA Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2016-00005 for fee amount

2016-00084

EVERSOURCE ENERGY

DEERING Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2016-00005 for fee amount

2016-00085

EVERSOURCE ENERGY

DUMMER Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2016-00005 for fee amount

2016-00087

EVERSOURCE ENERGY

SWANZEY Unnamed Stream

Conservation Commission/Staff Comments:

See file # 2016-00005 for the fee amount.

2016-00088

EVERSOURCE ENERGY

FRANKLIN Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2016-00005 for fee amount

2016-00089

EVERSOURCE ENERGY

TROY Unnamed Wetland

Conservation Commission/Staff Comments:

See file # 2016-00005 for the fee amount.

2016-00090 **EVERSOURCE ENERGY MADISON** Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount

2016-00092 **EVERSOURCE ENERGY** WINCHESTER Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00093 **EVERSOURCE ENERGY** WHITEFIELD Unnamed Wetland

Conservation Commission/Staff Comments: See file # 2016-00093 for the fee amount.

2016-00094 **EVERSOURCE ENERGY NEW BOSTON** Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount

2016-00095 **EVERSOURCE ENERGY GREENVILLE** Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

EVERSOURCE ENERGY 2016-00096 WILMOT Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount

2016-00097 **EVERSOURCE ENERGY CONWAY** Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

01/04/2016 to 01/10/2016

2016-00098

EVERSOURCE ENERGY

SPRINGFIELD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount

2016-00099

EVERSOURCE ENERGY

NEW LONDON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00100

EVERSOURCE ENERGY

TAMWORTH Unnamed Wetland

2016-00101

EVERSOURCE ENERGY

ANDOVER Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00102

EVERSOURCE ENERGY

WEARE Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount

2016-00103

EVERSOURCE ENERGY

NASHUA Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00104

EVERSOURCE ENERGY

HOOKSETT Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00105

EVERSOURCE ENERGY

HOOKSETT Unnamed Wetland

01/04/2016 to 01/10/2016

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00106

EVERSOURCE ENERGY

HOOKSETT Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.

2016-00114

EVERSOURCE ENERGY

CANTERBURY Unnamed Wetland

Conservation Commission/Staff Comments: See file 2016-00005 for fee amount.